APPENDIX T XML File Layout Version 4.6

THIS PAGE INTENTIONALLY INTERT BLANK

Hospital CAHPS XML File Specification Version 4.6

This XML file specification (Version 4.6) applies to **3Q 2023 discharges and forward**.

Each file submission will represent one month of survey data for each hospital.

An HCAHPS XML file is made up of 3 parts: 1) header record 2) administrative data record 3) survey results record. There should be only one header record for each HCAHPS XML file. Each patient within the HCAHPS XML file should have an administrative data record, and if survey results are being submitted for the patient, they should have the survey results record.

Each field (except fields **strata-name**, **dsrs-inpatient**, **dsrs-eligible**, **dsrs-samplesize** and **npi** - see data element description for more details) of the header record and administrative data requires an entry for a valid data submission.

Survey results records are not required for a valid data submission but if survey results are included, then all answers must have an entry. Survey results records are required if the final <survey-status> is "1 - Completed survey" or "6 - Non-response: Break off".

XML Element	Attributes	Description	Valid Values	Data Type	Max Field Size	Data Element Required		
<pre><monthlydata> Opening Tag, defines the monthly survey data</monthlydata></pre>	Attributes descr This XML tag sl	ning element of the file. The closing tag for this elemen ibe the element and are included within the opening an hould be defined with its attributes as shown below - xmlns="http://hcahps.ifmc.org" xmlns:xsi="http://w	d closing <>	tance">				
	See example.	N/A	N/A	NA	N/A	Yes		
The following section defines the form	nat of the heade	er record.		•		•		
<header></header>	Note: This tag i	ing element of the header record. The closing tag for the srequired in the XML document, however, it contains n			per file.			
Opening Tag, defines the header record of monthly survey data	None	N/A	N/A	NA	N/A	Yes		
<pre><pre><pre><pre><pre><pre><pre>Sub-element of header</pre></pre></pre></pre></pre></pre></pre>	per file.	ch element must have a closing tag that is the same as the opening tag but with a forward slash. This header element should only occur once rile. ample: <pre>cprovider-name>Sample Hospital</pre> /provider-name>						
oup-element of fleader	None	Name of the hospital represented by the survey.	N/A	Alphanumeric Character	100	Yes		
<pre><pre><pre><pre><pre><pre><pre>Sub-element of header</pre></pre></pre></pre></pre></pre></pre>	Each element must have a closing tag that is the same as the opening tag but with a forward slash. This header element will occur again as an administration data element in the patient level data record. Example: <pre>cprovider-id>123456</pre>							
	None	ID number of the hospital represented by the survey.	Valid 6 digit CMS Certification Number (formerly known as Medicare Provider Number).	Alphanumeric Character	10	Yes		
<npi><npi>Sub-element of header</npi></npi>	Each element must have a closing tag that is the same as the opening tag, but with a forward slash. This header element should only occur once per file. This is an optional data element at this time but may be required in the future. Example: <npi>1234567890</npi>							
	None	National Provider Identifier	Valid 10 digit National Provider Identifier.	Numeric	10	No		
<discharge-yr> Sub-element of header</discharge-yr>	Each element must have a closing tag that is the same as the opening tag but with a forward slash. This header element will occur again as an administration data element in the patient level data record. Example: <discharge-yr>2023</discharge-yr>							
Sub-element of fleader	None	Year patient was discharged from the hospital.	YYYY YYYY = (2023 or greater) (cannot be 9999)	Numeric	4	Yes		

XML Element	Attributes	Description	Valid Values	Data Type	Max Field Size	Data Element Required				
<discharge-month> Sub-element of header</discharge-month>	administration of	Each element must have a closing tag that is the same as the opening tag but with a forward slash. This header element will occur again as an administration data element in the patient level data record. Example: <discharge-month>7</discharge-month>								
	None	Month patient was discharged from the hospital.	MM MM = (1-12) (cannot be 00, 13-99)	Numeric	2	Yes				
<survey-mode> Sub-element of header</survey-mode>	once per file. N	ach element must have a closing tag that is the same as the opening tag but with a forward slash. This header data element should only occur nce per file. Note: The Survey Mode must be the same for all three months within a quarter. Example: <survey-mode>1</survey-mode>								
	None	Mode of survey administration.	1 - Mail only	Alphanumeric	1	Yes				
			2 - Telephone only	Character						
		month of data, you have the ability to re-upload that	3 - Mixed mode							
		month and change the survey mode if you'd like.	4 - IVR							
		However, once you have uploaded data for two months within a given quarter, you are locked into that survey mode and cannot change it for that quarter.								
<determination-of-service-line></determination-of-service-line>	once per file. N	nust have a closing tag that is the same as the opening ote: The Determination of Service Line must be the same termination-of-service-line>1	ne for all three months within a quart		nt shoul	d only occur				
Sub-element of header	None	Methodology used by a facility to determine whether a patient falls into one of the three service line categories eligible for HCAHPS Survey.		Numeric	1	Yes				

XML Element	Attributes	Description	Valid Values	Data Type	Max Field Size	Data Element Required		
<pre><number-inpatient-discharge></number-inpatient-discharge></pre>	per file.	must have a closing tag that is the same as the opening		eader element st	nould onl	y occur once		
ous dismont of moderal	None	Number of inpatients discharged from the hospital for the month.		Numeric	10	Yes		
<pre><number-eligible-discharge></number-eligible-discharge></pre> Sub-element of header	per file.	must have a closing tag that is the same as the opening		l eader element sh	l nould onl	y occur once		
	None	Number of eligible patients discharged from the hospital for the month.	N/A	Numeric	10	Yes		
<sample-size> Sub-element of header</sample-size>	Each element must have a closing tag that is the same as the opening tag but with a forward slash. This header element should only occur once per file. Example: <sample-size>600</sample-size>							
	None	Number of eligible patients drawn into the sample for survey administration.	N/A	Numeric	10	Yes		
<sample-type> Sub-element of header</sample-type>	per file. Note:	must have a closing tag that is the same as the opening Sample Type must be the same for all three months with mple-type>3		eader element sh	nould onl	y occur once		
	None	Sample type must be the same for all three months within a quarter. Once you have uploaded your first month of data, you have the ability to re-upload that month and change the sample type if you'd like. However, once you have uploaded data for two months within a given quarter, you are locked into that sample type and cannot change it for that quarter.	Simple random sample Proportionate stratified random sample Disproportionate stratified random sample	Numeric	1	Yes		

XML Element	Attributes	Description	Valid Values	Data Type	Max Field Size	Data Element Required				
<dsrs-strata> Sub-element of header</dsrs-strata>	(DSRS). This to	inning tag for the section that is used to collect data eler ag is only used if the sampling type is DSRS (sample-ty tag for each strata being defined. This tag should not l	pe = 3). If the sampling type is DSR	S, the XML file m	ust inclu	de one				
	Each <dsrs-str< td=""><td>ata> section, must have one each of the following assoc</td><td>ciated data elements as shown below</td><td>w -</td><td></td><td></td></dsrs-str<>	ata> section, must have one each of the following assoc	ciated data elements as shown below	w -						
	Example: The following is an example that displays two strata being defined - <dsrs-strata></dsrs-strata>									
	<strata-< td=""><td>name>example strata one</td><td></td><td></td><td></td><td></td></strata-<>	name>example strata one								
		patient>800								
		igible>200 amplesize>125								
		ampiosizos izo vasio sampiosizos								
	<dsrs-strata></dsrs-strata>									
		name>example strata two								
		<dsrs-inpatient>500</dsrs-inpatient>								
		<dsrs-eligible>300</dsrs-eligible> <dsrs-samplesize>170</dsrs-samplesize>								
	None	If sample type selected is Disproportionate Stratified Random Sample (DSRS), there should be at least two <dsrs-strata> sections. Additional strata can be defined as needed. There should be one <dsrs-strata> tag for each strata defined.</dsrs-strata></dsrs-strata>	N/A	NA	N/A	No. Required only if sample-type is DSRS.				
<strata-name></strata-name>		│ must have a closing tag that is the same as the opening ined. This data element, which belongs to the <dsrs-stra< td=""><td></td><td></td><td></td><td></td></dsrs-stra<>								
Sub-element of dsrs-strata	should not be	included in the XML file if the sampling type utilized	l is not DSRS.	•		•				
	•	ata-name>strata one								
	None	If sample type selected is Disproportionate Stratified	NA	Alphanumeric Character	45	No. Required				
		Random Sample, then at least two strata names should be defined. No two strata names can be the		Character		only if				
		same within one file. Strata names must be the same				sample-type				
		for all three months within a quarter. Once you have				is DSRS.				
		uploaded your first month of data, you have the ability								
		to re-upload that month and change the strata names if you'd like. However, once you have uploaded data								
		for two months within a given quarter, you are locked								
		into those strata names and cannot change them for								
		that quarter. Strata names can be changed, added or deleted in subsequent quarters.								
		dolotod iii odbocquent quartero.								

XML Element	Attributes	Description	Valid Values	Data Type	Max Field Size	Data Element Required				
<pre><dsrs-inpatient> Sub-element of dsrs-strata</dsrs-inpatient></pre>	each strata def should not be	Each element must have a closing tag that is the same as the opening tag but with a forward slash. There should be one <dsrs-inpatient> tag for each strata defined. This data element which belongs to the <dsrs-strata> section, should only occur once per <dsrs-strata> section. This tag should not be included in the XML file if the sampling type utilized is not DSRS. Example: <dsrs-inpatient>800</dsrs-inpatient></dsrs-strata></dsrs-strata></dsrs-inpatient>								
	None	If disproportionate stratified random sample is utilized, this is the number of inpatient discharges within the associated strata.	NA	Numeric	10	No. Required only if sample-type is DSRS.				
<dsrs-eligible> Sub-element of dsrs-strata</dsrs-eligible>	each strata def should not be	Each element must have a closing tag that is the same as the opening tag but with a forward slash. There should be one <dsrs-eligible> tag for each strata defined. This data element which belongs to the <dsrs-strata> section, should only occur once per <dsrs-strata> section. This tag should not be included in the XML file if the sampling type utilized is not DSRS. Example: <dsrs-eligible>650</dsrs-eligible></dsrs-strata></dsrs-strata></dsrs-eligible>								
	None	If disproportionate stratified random sample is utilized, this is the number of eligible patients within the associated strata.	NA	Numeric	10	No. Required only if sample-type is DSRS.				
<pre><dsrs-samplesize></dsrs-samplesize></pre> Sub-element of dsrs-strata	for each strata should not be	Imust have a closing tag that is the same as the opening defined. This data element which belongs to the <dsrs-sincluded file="" if="" in="" rs-samplesize="" sampling="" the="" type="" utilized="" xml="">650</dsrs-sincluded>	strata> section, should only occur o							
	None	If disproportionate stratified random sample is utilized, this is the number of sampled patients within the associated strata.	NA	Numeric	10	No. Required only if sample-type is DSRS.				
Closing tag for dsrs-strata	None	Note: This closing tag is required in the XML documer sample," however, it contains no data. This closing tag			I stratified	random				
Closing tag for header	None	Note: This closing element for the header is required i should only occur once per file.	n the XML document, however, it c	ontains no data. ⅂	his head	der element				

XML Element	Attributes	Description	Valid Values	Data Type	Max Field Size	Data Element Required
The following section defines the form	nat of the patier	nt level data record.	-	•		
<patientleveldata> Opening Tag, defines the patient level data record of monthly survey data</patientleveldata>	Note: The <pat <patientlevelda< td=""><td>ning element of the patient level data record. The closing ientleveldata> section includes the opening and closing ta> section is required in the XML file, if at least one path, the <patientleveldata> section should not be included.</patientleveldata></td><td> <patientleveldata> tags and all the tient is being submitted. If the <sar< p=""></sar<></patientleveldata></td><td>e tags between the nple-size> is 0, an</td><td>ese two ta d no pati</td><td>ags. The ient data are</td></patientlevelda<></pat 	ning element of the patient level data record. The closing ientleveldata> section includes the opening and closing ta> section is required in the XML file, if at least one path, the <patientleveldata> section should not be included.</patientleveldata>	<patientleveldata> tags and all the tient is being submitted. If the <sar< p=""></sar<></patientleveldata>	e tags between the nple-size> is 0, an	ese two ta d no pati	ags. The ient data are
	None	N/A	N/A	NA	N/A	Yes
An administrative data record is requ	ired for each pa	tient as follows:	•	1		
Note: There will be one <administration> section for each patient. The <administration> section includes the opening and closing <administration> tags and all the tags between these two tags. This <administration> section is required in the XML file for each patient be administration> tags and all the tags between these two tags. This <administration> section is required in the XML file for each patient be administration> section includes the opening and closing </administration></administration></administration></administration></administration>						ient being
	None	N/A	N/A	NA	N/A	Yes
<pre><pre><pre><pre><pre><pre><pre>Sub-element of</pre></pre></pre></pre></pre></pre></pre>	the previous he	nust have a closing tag that is the same as the opening ader record. vider-id>123456	tag but with a forward slash. This	administration eler	nent also	o occurs in
patientleveldata:administration	None	ID number of the hospital represented by the survey.	Valid 6 digit CMS Certification Number (formerly known as Medicare Provider Number).	Alphanumeric Character	10	Yes
<pre><discharge-yr> Sub-element of</discharge-yr></pre>	the header reco	nust have a closing tag that is the same as the opening ord. charge-yr>2023	tag but with a forward slash. This	administration eler	ment also	o occurs in
patientleveldata:administration	None	Year patient was discharged from the hospital.	YYYY YYYY = (2023 or greater) (cannot be 9999)	Numeric	4	Yes

XML Element	Attributes	Description	Valid Values	Data Type	Max Field Size	Data Element Required
<pre><discharge-month> Sub-element of</discharge-month></pre>	the header reco	nust have a closing tag that is the same as the opening rd. charge-month>7	tag but with a forward slash. This ac	dministration elen	nent also	occurs in
patientleveldata:administration	None	Month patient was discharged from the hospital.	MM MM = (1 - 12) (cannot be 00, 13 - 99)	Numeric	2	Yes
<pre><patient-id> Sub-element of</patient-id></pre>	occur once per	uust have a closing tag that is the same as the opening patient. ient-id>12345	tag but with a forward slash. This ad	dministration elen	nent sho	uld only
patientleveldata:administration	None	Unique de-identified patient id assigned by the provider to uniquely identify the survey.	N/A	Alphanumeric Character	16	Yes
<admission-source> Point of Origin for Admission or Visit</admission-source>	occur once per	nust have a closing tag that is the same as the opening patient. nission-source>1	tag but with a forward slash. This ad	dministration data	elemen	t should only
	None	Source of inpatient admission for the patient. (same as UB-04 field location 15)	1 - Nonhealthcare Facility Point of Origin 2 - Clinic or Physician's Office 4 - Transfer from a Hospital (Different Facility) 5 - Transfer from a SNF, ICF or ALF 6 - Transfer from Another Healthcare Facility 8 - Court/Law Enforcement 9 - Information Not Available D - Transfer From One Distinct Unit of the Hospital to Another Distinct Unit of the Same Hospital Resulting in a Separate Claim to the Payer E - Transfer from Ambulatory F - Transfer from Hospice Facility G - Transfer from a Designated Disaster Alternate Care Site (ACS)	Alphanumeric Character	1	Yes

XML Element	Attributes	Description	Valid Values	Data Type	Max Field Size	Data Element Required				
<pre><principal-reason-admission></principal-reason-admission></pre> Sub-element of	occur once per	Each element must have a closing tag that is the same as the opening tag but with a forward slash. This administration data element should only occur once per patient. Note: If possible the Service Line should not be coded as "Missing." Example: <pri>principal-reason-admission>1</pri>								
patientleveldata:administration	None	Assignment of HCAHPS Service Line category.	1 - Maternity Care	Alphanumeric	1	Yes				
			2 - Medical	- Character						
			3 - Surgical	1						
			M - Missing							
<pre><discharge-status> Sub-element of patientleveldata:administration</discharge-status></pre>	occur once per "Complete" su Example: <dis< td=""><td>charge-status>66</td><td>Expired" (codes 20, 40, 41, or 42) i</td><td>must not be code</td><td>ed as ha</td><td>ving</td></dis<>	charge-status>66	Expired" (codes 20, 40, 41, or 42) i	must not be code	ed as ha	ving				
	None	Status of patient's discharge. (same as UB-04 field location 17)	1 - Home Care or Self-Care	Alphanumeric Character	2	Yes				
		location 17)	2 - Short-Term General Hospital for Inpatient Care	Citalactei						
			3 - Medicare Certified Skilled Nursing Facility							
			4 - Intermediate Care Facility							
			5 - Designated Cancer Center or Children's Hospital	_						
			6 - Home with Home Health Services	_						
			7 - Left Against Medical Advice							
			9 - Admitted As an Inpatient to This Hospital	-						
			20 - Expired	1						
			21 - Discharged/Transferred to Court/Law Enforcement							
			30 - Still a Patient	1						
			40 - Expired at Home	-						
			41 - Expired in Medical Facility	1						
			42 - Expired, Place Unknown	1						
			43 - Federal Healthcare Facility	1						
			50 - Hospice - Home							
			51 - Hospice - Medical Facility	1						

XML Element	Attributes	Description	Valid Values	Data Type	Max Field Size	Data Element Required
<discharge-status> Sub-element of patientleveldata:administration (cont'd)</discharge-status>	None	Status of patient's discharge. (same as UB-04 field location 17)	61 - Medicare Approved Swing Bed within Hospital 62 - Inpatient Rehabilitation Facility 63 - Long Term Care Hospital 64 - Medicaid Certified Nursing Facility 65 - Psychiatric Hospital or Psychiatric Unit 66 - Critical Access Hospital 69 - Discharged/Transferred to a Designated Disaster Alternative Care Site (An alternate care site (ACS) provides basic patient care during a disaster response to a population that would otherwise be hospitalized or in a similar level of dependent care if those rescores were available during the disaster. The federal government or state government must declare the disaster. ACS is not an institution; most likely it would be an armory or stadium.) 70 - Discharged/Transferred to a Healthcare Institution Not Defined Elsewhere in the Code List 81 - Discharged to home or self care with a planned acute care hospital inpatient readmission 82 - Discharged/Transferred to a Short Term General Hospital for Inpatient Care with a Planned	Alphanumeric Character	2 2	Yes
			Acute Care Hospital Inpatient Readmission 83 - Discharged/Transferred to a Medicare Certified Skilled Nursing Facility (SNF) with a Planned Acute Care Hospital Inpatient Readmission			

XML Element	Attributes	Description	Valid Values	Data Type	Max Field Size	Data Element Required
Sub-element of patientleveldata:administration (cont'd)	None	Status of patient's discharge. (same as UB-04 field location 17)	84 - Discharged/Transferred to a Facility that Provides Custodial or Supportive Care with a Planned Acute Care Hospital Inpatient Readmission 85 - Discharged/Transferred to a Designated Cancer Center or Children's Hospital with a Planned Acute Care Hospital Inpatient Readmission 86 - Discharged/Transferred to Home Under Care of Organized Home Health Service Organization with Planned Acute Care Hospital Inpatient Readmission 87 - Discharged/Transferred to Court/Law Enforcement with a Planned Acute Care Hospital Inpatient Readmission 88 - Discharged/Transferred to Federal Health Care Facility with a Planned Acute Care Hospital Inpatient Readmission 89 - Discharged/Transferred to a Hospital-based Medicare Approved Swing Bed with a Planned Acute Care Hospital Inpatient Readmission 90 - Discharged/Transferred to an Inpatient Rehabilitation Facility (IRF) Including Rehabilitation Distinct Part Units of a Hospital with a Planned Acute Care Hospital Inpatient Readmission 91 - Discharged/Transferred to a Medicare Certified Long-term Care Hospital (LTCH) with a Planned Acute Care Hospital Inpatient Readmission	Alphanumeric Character	2	Yes

XML Element	Attributes	Description	Valid Values	Data Type	Max Field Size	Data Element Required
<pre><discharge-status> Sub-element of patientleveldata:administration (cont'd)</discharge-status></pre>	None	Status of patient's discharge. (same as UB-04 field location 17)	92 - Discharged/Transferred to a Medicaid Certified Nursing Facility Not Certified Under Medicare with a Planned Acute Care Hospital Inpatient Readmission	Alphanumeric Character	2	Yes
			93 - Discharged/Transferred to a Psychiatric Distinct Part Unit of a Hospital with a Planned Acute Care Hospital Inpatient Readmission 94 - Discharged/Transferred to a Critical Access Hospital (CAH) with a Planned Acute Care Hospital Inpatient Readmission			
			95 - Discharged/Transferred to Another Type of Health-care Institution Not Defined Elsewhere in this Code List with a Planned Acute Care Hospital Inpatient Readmission			
<strata-name></strata-name>		ired if the sampling type is DSRS (sample type 3). Nam				
Sub-element of patientleveldata:administration		n the header section of the XML file. If the sampling type ata-name>strata one	e is other than 3, this tag doesn't nee	d to be included	in the XI	AL file.
	None	This is the name of the strata the patient belongs to. You can only use one of the valid strata names defined in the header for the data element <strataname></strataname>	You can only use one of the valid strata names defined in the header for the data element <strata-name></strata-name>	Alphanumeric Character	45	Yes

XML Element	Attributes	Description	Valid Values	Data Type	Max Field Size	Data Element Required			
<pre><survey-status> Sub-element of</survey-status></pre>	occur once per	Each element must have a closing tag that is the same as the opening tag but with a forward slash. This administration data element should only occur once per patient. Note: It is anticipated that Survey Status should not be coded as "Missing." Example: <survey-status>10</survey-status>							
patientleveldata:administration	None	Disposition of survey.	1 - Completed survey	Alphanumeric	2	Yes			
			2 - Ineligible: Deceased	-Character					
			3 - Ineligible: Not in eligible population						
			4 - Ineligible: Language barrier	1					
			5 - Ineligible: Mental/physical incapacity	-					
			6 - Non-response: Break off	-					
			7 - Non-response: Refusal						
			8 - Non-response: Non-response after maximum attempts						
			9 - Non-response: Bad address	-					
			10 - Non-response: Bad/no phone number						
		M	M - Missing	1					
<pre><survey-completion-mode> Sub-element of patientleveldata:administration</survey-completion-mode></pre>	Mixed or IVR ar corresponding t	Each element must have a closing tag that is the same as the opening tag but with a forward slash. This tag is required if the Survey Mode is Mixed or IVR and the Survey Status is 1 - Completed Survey or 6 - Non-response: Break off. The values entered must match a value corresponding to the Survey Mode defined in the header section of the XML file. If the XML Element <survey mode=""> is other than Mixed or IVR, this tag should not be included in the XML file. Example: <survey-completion-mode>1</survey-completion-mode></survey>							
	None	Survey Mode used to complete a survey administered via the Mixed or IVR mode.	1 - Mixed mode-mail	Numeric	1	No, conditionally required only			
			2 - Mixed mode-phone	+		if Survey			
			3 - IVR mode-IVR	-		Mixed or IVR and Survey			
			4 - IVR mode-phone	-		Status is 1- Completed Survey or 6-			
			8 - Not applicable			Non- response: Break off.			

XML Element	Attributes	Description	Valid Values	Data Type	Max Field Size	Data Element Required
<pre><number-survey-attempts- telephone=""> Sub-element of patientleveldata:administration</number-survey-attempts-></pre>	Telephone Only Mode> is other	nust have a closing tag that is the same as the opening /, Active IVR or Mixed Mode with a survey completion m than Telephone only, Active IVR or Mixed Mode (phone mber-survey-attempts-telephone>1 <td>node answer of 2 - Mixed Mode - Ph e), this tag does not need to be incl</td> <td>one. If the XML</td> <td>Element</td> <td></td>	node answer of 2 - Mixed Mode - Ph e), this tag does not need to be incl	one. If the XML	Element	
	None	Number of telephone contact attempts per survey with a survey mode of Telephone Only, Mixed or Active IVR.	1 - First Telephone attempt 2 - Second Telephone attempt 3 - Third Telephone attempt 4 - Fourth Telephone attempt 5 - Fifth Telephone attempt 8 - Not applicable	Numeric	1	No, conditionally required only if the Survey Mode is Telephone Only Mode, Active IVR Mode or Mixed Mode with survey completion mode = 2-Mixed modephone.
<number-survey-attempts-mail> Sub-element of patientleveldata:administration</number-survey-attempts-mail>	Mail Only. If the	nust have a closing tag that is the same as the opening e XML Element <survey mode=""> is other than Mail only, mber-survey-attempts-mail>1<td>this tag does not need to be includenpts-mail></td><td></td><td></td><td>y Mode is No, conditionally required only if the Survey Mode is Mail Only</td></survey>	this tag does not need to be includenpts-mail>			y Mode is No, conditionally required only if the Survey Mode is Mail Only

XML Element	Attributes	Description	Valid Values	Data Type	Max Field Size	Data Element Required		
<language></language> Sub-element of	occur once per	nust have a closing tag that is the same as the openin patient. Iguage>1	g tag but with a forward slash. Thi	s administration dat	a elemer	nt should only		
patientleveldata:administration	None	Identify survey language in which the survey was	1 - English	Numeric	2	Yes		
	None	administered (or attempted to be administered)		Numeric	2	res		
		(English, Spanish, Chinese, Russian, Vietnamese,	2 - Spanish					
		Portuguese, German, Tagalog, or Arabic)	3 - Chinese					
			4 - Russian					
			5 - Vietnamese					
			6 - Portuguese					
			7 - German					
			8 - Tagalog					
			9 - Arabic					
			20 - Not applicable					
<lag-time> Sub-element of</lag-time>	occur once per	must have a closing tag that is the same as the openin patient. Note: The Lag Time should not be coded a p-time>84		s administration dat	a elemer	nt should only		
patientleveldata:administration	None	Number of days between patient's discharge date from the hospital and the date that data collection	0-365	Numeric	3	Yes		
		activities ended for the patient.	888 - Not applicable					
<supplemental-question-count></supplemental-question-count>	occur once per	Each element must have a closing tag that is the same as the opening tag but with a forward slash. This administration data element should only occur once per patient. Note: The "Supplemental Question Count" should not be coded as "Missing." Example: <supplemental-question-count>4</supplemental-question-count>						
	None	The count is the maximum number of supplemental questions available to the patient regardless if the questions are asked and/or answered.	0-99 M - Missing	Alphanumeric Character	2	Yes. Required for all HCAHPS Final Survey Status Codes.		

XML Element	Attributes	Description	Valid Values	Data Type	Max Field Size	Data Element Required			
<gender> Sub-element of</gender>	occur once per	Each element must have a closing tag that is the same as the opening tag but with a forward slash. This administration data element should only occur once per patient. Example: <gender>1</gender>							
patientleveldata:administration	None	Patient gender.	1 - Male	Alphanumeric Character	1	Yes			
			2 - Female	Character					
			M - Missing						
<pre><patient-age> Sub-element of patientleveldata:administration</patient-age></pre>	occur once per	nust have a closing tag that is the same as the opening patient. ient-age>1	tag but with a forward slash. This	administration data	elemen	t should only			
	None	Patient age at admission.	0 - Under 18	Alphanumeric	2	Yes			
			1 - 18 to 24	Character					
			2 - 25 to 29						
			3 - 30 to 34						
			4 - 35 to 39	-					
			5 - 40 to 44						
			6 - 45 to 49	-					
			7 - 50 to 54						
			8 - 55 to 59						
			9 - 60 to 64	-					
			10 - 65 to 69	_					
			11 - 70 to 74						
			12 - 75 to 79	_					
			13 - 80 to 84						
			14 - 85 to 89						
			15 - 90 or older	_					
			M - Missing/Unknown						
Closing tag for administration	None	Note: This tag is required in the XML file, however, it opatient.	Leontains no data. This administration	on element should	only occ	ur once per			

XML Element	Attributes	Description	Valid Values	Data Type	Max Field Size	Data Element Required			
(Note: Survey results (patient respo	nse) records are	as the <patient response=""> and is defined as follows not required for a valid data submission, however in if the final <survey-status> is "1 - Completed survey</survey-status></patient>	f survey results are included then		st have a	n entry.			
<patientresponse> Opening Tag, defines the patient response data record within the patien level data record of monthly survey da</patientresponse>	Note: There wi section include required in the	ning element of the patient response record. The closing II be one <patientresponse> section for each patient if s s the opening and closing <patientresponse> tags and a XML file only if survey results are being submitted for the se> section should not be submitted. This patient response> section should not be submitted. This patient response> section should not be submitted.</patientresponse></patientresponse>	survey results are being submitted fo all the tags between these two tags. he patient. If survey results are not b	r the patient. The This <patientrespoeing for<="" submitted="" td=""><td><pre>c <pre>patient</pre></pre></td><td>response> ection is</td></patientrespoeing>	<pre>c <pre>patient</pre></pre>	response> ection is			
	None	N/A	N/A	NA	N/A	Yes			
<pre><nurse-courtesy-respect> Sub-element of patientleveldata:</nurse-courtesy-respect></pre>	only occur once	nust have a closing tag that is the same as the opening per patient. rse-courtesy-respect>4	tag but with a forward slash. This p	atient response d	ata elem	ent should			
patientresponse	None Question	Question 1: Nurses courtesy and respect	1 - Never	Alphanumeric Character	1	Yes			
			2 - Sometimes	- Character					
			3 - Usually						
			4 - Always						
			M - Missing/Don't know						
<pre><nurse-listen></nurse-listen></pre> Sub-element of patientleveldata:	only occur once	Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <nurse-listen>4</nurse-listen>							
patientresponse	None	Question 2: Nurses listen.	1 - Never	Alphanumeric	1	Yes			
			2 - Sometimes	Character					
			3 - Usually						
			4 - Always						
			M - Missing/Don't know						

XML Element	Attributes	Description	Valid Values	Data Type	Max Field Size	Data Element Required
<pre><nurse-explain> Sub-element of patientleveldata:</nurse-explain></pre>	only occur onc	must have a closing tag that is the same as the op e per patient. rse-explain>4	pening tag but with a forward slash. This p	atient response d	lata elem	nent should
patientresponse	None	Question 3: Nurses explain.	1 - Never 2 - Sometimes	Alphanumeric Character	1	Yes
			3 - Usually	_		
			4 - Always			
			M - Missing/Don't know			
<pre><call-button> Sub-element of patientleveldata:</call-button></pre>	only occur onc	must have a closing tag that is the same as the op e per patient. II-button>4	pening tag but with a forward slash. This p	atient response d	lata elem	nent should
patientresponse	None	Question 4: Call button.	1 - Never	Alphanumeric Character	1	Yes
			2 - Sometimes	- Character		
			3 - Usually			
			4 - Always			
			9 - I never pressed the call button			
			M - Missing/Don't know	-		
<pre><dr-courtesy-respect> Sub-element of patientleveldata:</dr-courtesy-respect></pre>	only occur onc	nust have a closing tag that is the same as the ope per patient. courtesy-respect>4	pening tag but with a forward slash. This p	atient response d	lata elem	nent should
patientresponse	None	Question 5: Doctors courtesy and respect.	1 - Never	Alphanumeric	1	Yes
			2 - Sometimes	-Character		
			3 - Usually			
			4 - Always			
			M - Missing/Don't know			

XML Element	Attributes	Description	Valid Values	Data Type	Max Field Size	Data Element Required			
<pre><dr-listen> Sub-element of patientleveldata:</dr-listen></pre>	only occur once	Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <dr-listen>4</dr-listen>							
patientresponse	None	Question 6: Doctors listen.	1 - Never	Alphanumeric	1	Yes			
			2 - Sometimes	— Character					
			3 - Usually						
			4 - Always						
			M - Missing/Don't know						
<pre><dr-explain> Sub-element of patientleveldata:</dr-explain></pre>	only occur once	nust have a closing tag that is the same as the opening per patient. explain>4	g tag but with a forward slash. This	patient response d	ata elem	ent should			
patientresponse	None	Question 7: Doctors explain.	1 - Never	Alphanumeric	1	Yes			
			2 - Sometimes	— Character					
			3 - Usually						
			4 - Always						
			M - Missing/Don't know						
<pre><cleanliness> Sub-element of patientleveldata:</cleanliness></pre>	only occur once	nust have a closing tag that is the same as the opening per patient. anliness>4	g tag but with a forward slash. This	patient response d	ata elem	ent should			
patientresponse	None	Question 8: Cleanliness.	1 - Never	Alphanumeric	1	Yes			
			2 - Sometimes	Character					
			3 - Usually						
			4 - Always						
			M - Missing/Don't know						

XML Element	Attributes	Description	Valid Values	Data Type	Max Field Size	Data Element Required			
<pre><quiet> Sub-element of patientleveldata:</quiet></pre>	Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <quiet>4</quiet>								
patientresponse	None	Question 9: Quiet.	1 - Never 2 - Sometimes 3 - Usually 4 - Always	Alphanumeric Character	1	Yes			
			M - Missing/Don't know						
Sub-element of patientleveldata: patientresponse	only occur once	nust have a closing tag that is the same as the per patient. chroom-screener>1 Question 10: Bathroom (screener 1).	1 - Yes 2 - No	Alphanumeric Character	1	Yes			
<pre><bathroom-help> Sub-element of patientleveldata:</bathroom-help></pre>	only occur once	must have a closing tag that is the same as the eper patient. throom-help>4	M - Missing/Don't know opening tag but with a forward slash. This	s patient response c	lata elem	nent should			
patientresponse [']	None	Question 11: Bathroom help.	1 - Never 2 - Sometimes 3 - Usually 4 - Always 8 - Not applicable M - Missing/Don't know	Alphanumeric Character	1	Yes			

XML Element	Attributes	Description	Valid Values	Data Type	Max Field Size	Data Element Required			
<pre><new-med-screener> Sub-element of patientleveldata:</new-med-screener></pre>	Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <new-med-screener>1</new-med-screener>								
patientresponse	None	Question 12: New meds (screener 2).	1 - Yes	Alphanumeric	1	Yes			
			2 - No	Character					
			M - Missing/Don't know						
<med-for> Sub-element of patientleveldata: patientresponse</med-for>	only occur once	nust have a closing tag that is the same as the oper patient. d-for>4	opening tag but with a forward slash. Thi	s patient response o	lata elem	nent should			
	None	Question 13: Medicine for.	1 - Never	Alphanumeric	1	Yes			
			2 - Sometimes	Character					
			3 - Usually						
			4 - Always						
			8 - Not applicable						
			M - Missing/Don't know						
<side-effects> Sub-element of patientleveldata:</side-effects>	only occur once	Inust have a closing tag that is the same as the caper patient. e-effects>4	opening tag but with a forward slash. Thi	s patient response o	lata elem	nent should			
patientresponse	None	Question 14: Side effects.	1 - Never	Alphanumeric	1	Yes			
			2 - Sometimes	Character					
			3 - Usually						
			4 - Always						
			8 - Not applicable						
			M - Missing/Don't know						

XML Element	Attributes	Description	Valid Values	Data Type	Max Field Size	Data Element Required			
<pre><discharge-screener></discharge-screener></pre> Sub-element of patientleveldata:	only occur onc	must have a closing tag that is the same as the e per patient. scharge-screener>1	opening tag but with a forward slash. This	s patient response o	lata elem	ent should			
patientresponse	None	Question 15: Discharge (screener 3).	1 - Own home	Alphanumeric	1	Yes			
			2 - Someone else's home	— Character					
			3 - Another health facility						
			M - Missing/Don't know						
<pre><help-after-discharge></help-after-discharge></pre> Sub-element of patientleveldata:	Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <help-after-discharge>1</help-after-discharge>								
patientresponse	None C	Question 16: Help after discharge.	1 - Yes	Alphanumeric	1	Yes			
			2 - No	— Character					
			8 - Not applicable						
			M - Missing/Don't know						
<symptoms> Sub-element of patientleveldata:</symptoms>	Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <symptoms>1</symptoms>								
patientresponse	None	Question 17: Symptoms.	1 - Yes	Alphanumeric	1	Yes			
			2 - No	Character					
			8 - Not applicable						
			M - Missing/Don't know						

XML Element	Attributes	Description	Valid Values	Data Type	Max Field Size	Data Element Required				
<pre><overall-rate> Sub-element of patientleveldata:</overall-rate></pre>	Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <overall-rate>5</overall-rate>									
patientresponse	None	Question 18: Overall rating.	0 - Worst hospital possible 1 2 3 4 5 6 7 8 9 10 - Best hospital possible	Alphanumeric Character	2	Yes				
<recommend></recommend>	only occur once	e per patient.	M - Missing/Don't know the opening tag but with a forward slash. This	patient response d	ata elem	nent should				
Sub-element of patientleveldata: patientresponse		commend>4	4 5 5 11 1			lv.				
patienticoperios	None	Question 19: Recommend.	1 - Definitely no	Alphanumeric Character	1	Yes				
			2 - Probably no							
			3 - Probably yes							
			4 - Definitely yes							
			M - Missing/Don't know							

XML Element	Attributes	Description	Valid Values	Data Type	Max Field	Data Element			
					Size	Required			
<pre><ct-preferences> Sub-element of patientleveldata:</ct-preferences></pre>	Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <ct-preferences>4</ct-preferences>								
patientresponse	None	Question 20: Preferences in deciding health care	1 - Strongly disagree	Alphanumeric	1	Yes			
		needs.	2 - Disagree	Character					
			3 - Agree	-					
			4 - Strongly agree						
			M - Missing/Don't know						
<pre><ct-understanding></ct-understanding></pre> Sub-element of patientleveldata:	only occur once	Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <ct-understanding>4</ct-understanding>							
patientresponse		Question 21: Understanding of responsibility in	1 - Strongly disagree	Alphanumeric Character	1	Yes			
		managing health.	2 - Disagree						
			3 - Agree						
			4 - Strongly agree						
			M - Missing/Don't know						
<ct-purpose-med> Sub-element of patientleveldata:</ct-purpose-med>	only occur once	nust have a closing tag that is the same as the opening per patient. ourpose-med>4	g tag but with a forward slash. This pa	atient response d	ata elem	ent should			
patientresponse	None	Question 22: Purpose for taking medications.	1 - Strongly disagree	Alphanumeric Character	1	Yes			
			2 - Disagree	Character					
			3 - Agree						
			4 - Strongly agree						
			5 - I was not given any medication when I left the hospital						
			M - Missing/Don't know						

XML Element	Attributes	Description	Valid Values	Data Type	Max Field Size	Data Element Required			
<pre><er-admission> Sub-element of patientleveldata:</er-admission></pre>	Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <er-admission>4</er-admission>								
patientresponse	None	Question 23: Admitted through the emergency room.	1 - Yes	Alphanumeric Character	1	Yes			
			2 - No	Onlaractor					
<overall-health></overall-health>	M - Missing/Don't know Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element sho only occur once per patient.								
Sub-element of patientleveldata: patientresponse		erall-health>4							
	None	Question 24: Overall health.	1 - Excellent	Alphanumeric — Character	1	Yes			
			2 - Very good 3 - Good						
			4 - Fair						
			5 - Poor						
			M - Missing/Don't know	_					
<pre><mental-health> Sub-element of patientleveldata:</mental-health></pre>	only occur onc	unust have a closing tag that is the same as the opening e per patient. ental-health>4	J g tag but with a forward slash. This	patient response o	I lata elen	l nent should			
patientresponse	None	Question 25: Mental health.	1 - Excellent	Alphanumeric	1	Yes			
			2 - Very good	— Character					
			3 - Good						
			4 - Fair						
			5 - Poor						
			M - Missing/Don't know						

XML Element	Attributes	Description	Valid Values	Data Type	Max Field Size	Data Element Required		
<pre><education></education></pre>	Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <education>4</education>							
Sub-element of patientleveldata: patientresponse	None	Question 26: Education.	1 - 8th grade or less	Alphanumeric Character	1	Yes		
			2 - Some high school, but did not graduate	-Cnaracter				
			3 - High school graduate or GED					
			4 - Some college or 2-year degree					
			5 - 4-year college graduate 6 - More than 4-year college	_				
			degree M - Missing/Don't know	_				
<ethnic> Sub-element of patientleveldata: patientresponse</ethnic>	Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <ethnic>1</ethnic>							
	None	Question 27: Ethnicity.	1 - No, not Spanish/Hispanic/Latino	Alphanumeric Character	1	Yes		
			2 - Yes, Puerto Rican 3 - Yes, Mexican, Mexican American, Chicano	-				
			4 - Yes, Cuban					
			5 - Yes, other Spanish/Hispanic/Latino					
			M - Missing/Don't know					

XML Element	Attributes	Description	Valid Values	Data Type	Max	Data		
					Field Size	Element Required		
<race-white></race-white>	Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient.							
Sub-element of patientleveldata:	Example: <race-white>1</race-white>							
patientresponse	If the check box for the race 'White' is selected, enter value '1' for this data element							
	If the check box for the race 'White' is not selected (and at least one other check box for race is selected), enter value '0' for this data element							
	If none of the check boxes for the race question are selected on the survey, enter the value 'M' for this data element and for all other race data elements							
	None	Question 28: Race, White.		Alphanumeric Character	1	Yes		
			0 - Not White	- Character				
			M - Missing/Don't know					
<race-african-amer> Sub-element of patientleveldata: patientresponse</race-african-amer>	Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <race-african-amer>0</race-african-amer> If the check box for the race 'Black or African-American' is selected, enter value '1' for this data element If the check box for the race 'Black or African-American' is not selected (and at least one other check box for race is selected), enter value '0' for this data element If none of the check boxes for the race question are selected on the survey, enter the value 'M' for this data element and for all other race data elements None Question 28: Race, African-American. 1 - Black or African-American Alphanumeric 1 Yes							
			0 - Not Black or African-American	-Character				
			M - Missing/Don't know					
<race-asian></race-asian>	Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient.							
Sub-element of patientleveldata:	Example: <rac< td=""><td>ce-asian>0</td><td></td><td></td><td></td><td></td></rac<>	ce-asian>0						
patientresponse	If the check box for the race 'Asian' is selected, enter value '1' for this data element							
	If the check box for the race 'Asian' is not selected (and at least one other check box for race is selected), enter value '0' for this data element If none of the check boxes for the race question are selected on the survey, enter the value 'M' for this data element and for all other race data elements							
	None	Question 28: Race, Asian.	1 - Asian	Alphanumeric Character	1	Yes		
			0 - Not Asian	Character				
			M - Missing/Don't know					

XML Element	Attributes	Description	Valid Values	Data Type	Max Field Size	Data Element Required		
<race-hi-pacific-islander></race-hi-pacific-islander>	Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient.							
Sub-element of patientleveldata: patientresponse	Example: <race-hi-pacific-islander>0</race-hi-pacific-islander> If the check box for the race 'Native Hawaiian or Pacific Islander' is selected, enter value '1' for this data element If the check box for the race 'Native Hawaiian or Pacific Islander' is not selected (and at least one other check box for race is selected), enter value '0' for this data element If none of the check boxes for the race question are selected on the survey, enter the value 'M' for this data element and for all other race data elements							
	None	Question 28: Race, Pacific Islander.	1 - Native Hawaiian or Pacific Islander	Alphanumeric Character	1	Yes		
			0 - Not Native Hawaiian or Pacific Islander	-				
			M - Missing/Don't know					
<race-amer-indian-ak></race-amer-indian-ak>		Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient.						
Sub-element of patientleveldata:	•	e-amer-indian-ak>0						
patientresponse	If the check box for the race 'American Indian or Alaska native' is selected, enter value '1' for this data element If the check box for the race 'American Indian or Alaska native' is not selected (and at least one other check box for race is selected), enter value '0' for this data element If none of the check boxes for the race question are selected on the survey, enter the value 'M' for this data element and for all other race data elements							
	None	Question 28: Race, American Indian/Alaska Native.	1 - American Indian or Alaska native	Alphanumeric Character	1	Yes		
			0 - Not American Indian or Alaska native	1				
			M - Missing/Don't know					

XML Element	Attributes	Description	Valid Values	Data Type	Max Field Size	Data Element Required
 <a href="language-</td><td colspan=7>Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: speak>1/language-speak>						
patientresponse	None	Question 29: Language.	1 - English	Alphanumeric	2	Yes
			2 - Spanish	—— Character		
			3 - Chinese			
			4 - Russian			
			5 - Vietnamese			
			6 - Portuguese			
			7 - German			
			8 - Tagalog			
			9 - Arabic			
			20 - Some other language			
			M - Missing/Don't know			1
<pre> Closing tag for patientresponse</pre>	None	Note: This tag is required in the XML file, however, it contains no data. This patient response element should only occur once per patient.				
<pre> Closing tag for patientleveldata</pre>	None	Note: This tag is required in the XML file, however, it contains no data. This patient level data element should only occur once per patient.				
Closing tag, defines the monthly survey data	None	Note: This tag is required in the XML file, how patient.	vever, it contains no data. This monthly da	ata element should o	only occu	r once per

Sample XML File Layout without DSRS V4.6

```
- <monthlydata xmlns="http://hcahps.ifmc.org"
    xmlns:xsi="http://www.w3.org/2023/XMLSchema-instance">
  - <header>
     provider-name>Some Hospital/provider-name>
     provider-id>160035/provider-id>
     <npi>1234567893</npi>
     <discharge-yr>2023</discharge-yr>
     <discharge-month>7</discharge-month>
     <survey-mode>1/survey-mode>
      <determination-of-service-line>1</determination-of-service-line>
     <number-inpatient-discharge>150</number-inpatient-discharge>
     <number-eligible-discharge>100</number-eligible-discharge>
     <sample-size>35</sample-size>
     <sample-type>2</sample-type>
   </header>
  - <patientleveldata>
    - <administration>
        provider-id>160035/provider-id>
        <discharge-yr>2023</discharge-yr>
        <discharge-month>7</discharge-month>
        <patient-id>12345</patient-id>
        <admission-source>1</admission-source>
        <principal-reason-admission>3</principal-reason-admission>
        <discharge-status>1</discharge-status>
        <survey-status>1</survey-status>
        <number-survey-attempts-mail>1</number-survey-attempts-mail>
        <language>1</language>
        <lag-time>10</lag-time>
        <supplemental-question-count>4</supplemental-question-count>
        <gender>1</gender>
        <patient-age>1</patient-age>
     </administration>
    - <patientresponse>
        <nurse-courtesy-respect>1/nurse-courtesy-respect>
        <nurse-listen>1</nurse-listen>
        <nurse-explain>1/nurse-explain>
        <call-button>1</call-button>
        <dr-courtesy-respect>1</dr-courtesy-respect>
        <dr-listen>1</dr-listen>
        <dr-explain>1</dr-explain>
        <cleanliness>1</cleanliness>
        <quiet>1</quiet>
        <bathroom-screener>1</bathroom-screener>
        <bathroom-help>1/bathroom-help>
```

```
<new-med-screener>1</new-med-screener>
     <med-for>1</med-for>
     <side-effects>1</side-effects>
     <discharge-screener>1</discharge-screener>
     <help-after-discharge>1</help-after-discharge>
     <symptoms>1</symptoms>
     <overall-rate>1</overall-rate>
      <recommend>1</recommend>
      <ct-preferences>1</ct-preferences>
      <ct-understanding>1</ct-understanding>
      <ct-purpose-med>1</ct-purpose-med>
      <er-admission>1
      <overall-health>1</overall-health>
      <mental-health>1</mental-health>
      <education>1</education>
     <ethnic>1</ethnic>
     <race-white>1</race-white>
     <race-african-amer>0</race-african-amer>
     <race-asian>0</race-asian>
     <race-hi-pacific-islander>0</race-hi-pacific-islander>
     <race-amer-indian-ak>0/race-amer-indian-ak>
     <language-speak>1</language-speak>
   </patientresponse>
 </patientleveldata>
- <patientleveldata>
  - <administration>
     provider-id>160035/provider-id>
     <discharge-yr>2023</discharge-yr>
     <discharge-month>7</discharge-month>
     <patient-id>24556</patient-id>
     <admission-source>1</admission-source>
     <principal-reason-admission>3</principal-reason-admission>
     <discharge-status>1</discharge-status>
     <survey-status>1
     <number-survey-attempts-mail>1</number-survey-attempts-mail>
     <language>1</language>
     <lag-time>10</lag-time>
      <supplemental-question-count>4</supplemental-question-count>
     <gender>1</gender>
     <patient-age>1</patient-age>
   </administration>
  - <patientresponse>
     <nurse-courtesy-respect>1/nurse-courtesy-respect>
     <nurse-listen>1</nurse-listen>
     <nurse-explain>1/nurse-explain>
     <call-button>1</call-button>
```

```
<dr-courtesy-respect>1</dr-courtesy-respect>
      <dr-listen>1</dr-listen>
      <dr-explain>1</dr-explain>
      <cleanliness>1</cleanliness>
      <quiet>1</quiet>
      <bathroom-screener>1</bathroom-screener>
      <bathroom-help>1/bathroom-help>
      <new-med-screener>1</new-med-screener>
      <med-for>1</med-for>
      <side-effects>1</side-effects>
      <discharge-screener>1</discharge-screener>
      <help-after-discharge>1</help-after-discharge>
      <symptoms>1</symptoms>
      <overall-rate>1</overall-rate>
       <recommend>1</recommend>
       <ct-preferences>1</ct-preferences>
       <ct-understanding>1</ct-understanding>
       <ct-purpose-med>1</ct-purpose-med>
       <er-admission>1</er-admission>
       <overall-health>1</overall-health>
       <mental-health>1</mental-health>
      <education>1</education>
      <ethnic>1</ethnic>
      <race-white>1</race-white>
      <race-african-amer>0</race-african-amer>
      <race-asian>0</race-asian>
      <race-hi-pacific-islander>0</race-hi-pacific-islander>
      <race-amer-indian-ak>0/race-amer-indian-ak>
      <language-speak>1/language-speak>
    </patientresponse>
  </patientleveldata>
</monthlydata>
```

Sample XML File Layout with DSRS V4.6

```
- <monthlydata xmlns="http://hcahps.ifmc.org"
    xmlns:xsi="http://www.w3.org/2023/XMLSchema-instance">
  - <header>
     provider-name>Some Hospital/provider-name>
     provider-id>160035/provider-id>
     <npi>1234567893</npi>
     <discharge-yr>2023</discharge-yr>
     <discharge-month>7</discharge-month>
     <survey-mode>1</survey-mode>
      <determination-of-service-line>1</determination-of-service-line>
     <number-inpatient-discharge>900</number-inpatient-discharge>
     <number-eligible-discharge>700</number-eligible-discharge>
     <sample-size>600</sample-size>
     <sample-type>3</sample-type>
    - <dsrs-strata>
        <strata-name>strata one</strata-name>
        <dsrs-inpatient>300</dsrs-inpatient>
        <dsrs-eligible>250</dsrs-eligible>
        <dsrs-samplesize>240</dsrs-samplesize>
     </dsrs-strata>
    - <dsrs-strata>
        <strata-name>strata two</strata-name>
        <dsrs-inpatient>315</dsrs-inpatient>
        <dsrs-eligible>240</dsrs-eligible>
        <dsrs-samplesize>240</dsrs-samplesize>
     </dsrs-strata>
    - <dsrs-strata>
        <strata-name>strata three</strata-name>
        <dsrs-inpatient>270</dsrs-inpatient>
        <dsrs-eligible>210</dsrs-eligible>
        <dsrs-samplesize>120</dsrs-samplesize>
     </dsrs-strata>
   </header>
  - <patientleveldata>
    - <administration>
        provider-id>160035/provider-id>
        <discharge-yr>2023</discharge-yr>
        <discharge-month>7</discharge-month>
        <patient-id>12345</patient-id>
        <admission-source>1</admission-source>
        <principal-reason-admission>3</principal-reason-admission>
        <discharge-status>1</discharge-status>
        <strata-name>strata one/strata-name>
        <survey-status>1</survey-status>
```

```
<number-survey-attempts-mail>1</number-survey-attempts-mail>
     <language>1</language>
     <lag-time>10</lag-time>
      <supplemental-question-count>4</supplemental-question-count>
      <gender>1</gender>
      <patient-age>1</patient-age>
   </administration>
  - <patientresponse>
     <nurse-courtesy-respect>1</nurse-courtesy-respect>
     <nurse-listen>1</nurse-listen>
     <nurse-explain>1/nurse-explain>
     <call-button>1</call-button>
     <dr-courtesy-respect>1</dr-courtesy-respect>
     <dr-listen>1</dr-listen>
     <dr-explain>1</dr-explain>
     <cleanliness>1</cleanliness>
     <quiet>1</quiet>
     <bathroom-screener>1</bathroom-screener>
     <bathroom-help>1/bathroom-help>
     <new-med-screener>1</new-med-screener>
     <med-for>1</med-for>
     <side-effects>1</side-effects>
     <discharge-screener>1</discharge-screener>
     <help-after-discharge>1</help-after-discharge>
     <symptoms>1</symptoms>
     <overall-rate>1</overall-rate>
      <recommend>1</recommend>
      <ct-preferences>1</ct-preferences>
      <ct-understanding>1</ct-understanding>
      <ct-purpose-med>1</ct-purpose-med>
      <er-admission>1</er-admission>
      <overall-health>1</overall-health>
      <mental-health>1</mental-health>
     <education>1</education>
     <ethnic>1</ethnic>
     <race-white>1</race-white>
     <race-african-amer>0</race-african-amer>
     <race-asian>0</race-asian>
     <race-hi-pacific-islander>0</race-hi-pacific-islander>
     <race-amer-indian-ak>0/race-amer-indian-ak>
     <language-speak>1</language-speak>
   </patientresponse>
 </patientleveldata>
- <patientleveldata>
  - <administration>
     provider-id>160035/provider-id>
```

```
<discharge-yr>2023/discharge-yr>
   <discharge-month>7</discharge-month>
   <patient-id>22256</patient-id>
   <admission-source>1</admission-source>
   <principal-reason-admission>3</principal-reason-admission>
   <discharge-status>1</discharge-status>
   <strata-name>strata two</strata-name>
   <survey-status>1</survey-status>
   <number-survey-attempts-mail>1</number-survey-attempts-mail>
   <language>1/language>
   <lag-time>10</lag-time>
    <supplemental-question-count>4</supplemental-question-count>
    <gender>1</gender>
    <patient-age>1</patient-age>
  </administration>
- <patientresponse>
   <nurse-courtesy-respect>1/nurse-courtesy-respect>
   <nurse-listen>1</nurse-listen>
   <nurse-explain>1/nurse-explain>
   <call-button>1</call-button>
   <dr-courtesy-respect>1</dr-courtesy-respect>
   <dr-listen>1</dr-listen>
   <dr-explain>1</dr-explain>
   <cleanliness>1</cleanliness>
   <quiet>1</quiet>
   <bathroom-screener>1</bathroom-screener>
   <bathroom-help>1/bathroom-help>
   <new-med-screener>1</new-med-screener>
   <med-for>1</med-for>
   <side-effects>1</side-effects>
   <discharge-screener>1</discharge-screener>
   <help-after-discharge>1</help-after-discharge>
   <symptoms>1</symptoms>
   <overall-rate>1</overall-rate>
   <recommend>1</recommend>
    <ct-preferences>1</ct-preferences>
    <ct-understanding>1</ct-understanding>
    <ct-purpose-med>1</ct-purpose-med>
    <er-admission>1</er-admission>
    <overall-health>1</overall-health>
    <mental-health>1</mental-health>
   <education>1</education>
   <ethnic>1</ethnic>
   <race-white>1</race-white>
   <race-african-amer>0</race-african-amer>
   <race-asian>0</race-asian>
```

```
<race-hi-pacific-islander>0</race-hi-pacific-islander>
     <race-amer-indian-ak>0</race-amer-indian-ak>
     <language-speak>1</language-speak>
   </patientresponse>
 </patientleveldata>
- <patientleveldata>
  - <administration>
     provider-id>160035/provider-id>
     <discharge-yr>2023</discharge-yr>
     <discharge-month>7</discharge-month>
     <patient-id>12666</patient-id>
     <admission-source>1</admission-source>
     <principal-reason-admission>3</principal-reason-admission>
     <discharge-status>1</discharge-status>
     <strata-name>strata three</strata-name>
     <survey-status>1</survey-status>
     <number-survey-attempts-mail>1</number-survey-attempts-mail>
     <language>1</language>
     <supplemental-question-count>4</supplemental-question-count>
      <gender>1</gender>
      <patient-age>1</patient-age>
    </administration>
  - <patientresponse>
     <nurse-courtesy-respect>1/nurse-courtesy-respect>
     <nurse-listen>1/nurse-listen>
     <nurse-explain>1/nurse-explain>
     <call-button>1</call-button>
     <dr-courtesy-respect>1</dr-courtesy-respect>
     <dr-listen>1</dr-listen>
     <dr-explain>1</dr-explain>
     <cleanliness>1</cleanliness>
     <quiet>1</quiet>
     <bathroom-screener>1</bathroom-screener>
     <bathroom-help>1/bathroom-help>
     <new-med-screener>1</new-med-screener>
     <med-for>1</med-for>
     <side-effects>1</side-effects>
     <discharge-screener>1</discharge-screener>
     <help-after-discharge>1</help-after-discharge>
     <symptoms>1</symptoms>
     <overall-rate>1</overall-rate>
     <recommend>1</recommend>
      <ct-preferences>1</ct-preferences>
      <ct-understanding>1</ct-understanding>
      <ct-purpose-med>1</ct-purpose-med>
      <er-admission>1</er-admission>
```